

PRODUCT INFORMATION PACKET



Model No:
Catalog No: B2841V1
MODEL-CFHP-56FR
Induction Motors



Regal and Century are trademarks of Regal Beloit Corporation or one of its affiliated companies.
©2019 Regal Beloit Corporation, All Rights Reserved. MC017097E





Nameplate Specifications

Output HP	1.0 HP	Output KW	0.75 kW
Frequency	60 Hz	Voltage	208-230/115 V
Current	SF 7.8-7.4/14.8 A	Speed	3450 RPM
Service Factor	1.65	Phase	1
Duty	Continuous	Insulation Class	F
Frame	Y56Y	Enclosure	Drip Proof
Overload Protector	Thermally Protected	Ambient Temperature	50 °C
UL	Recognized	CSA	Y

Technical Specifications

Electrical Type	Permanent Split Capacitor, Single Or Dual Voltage	Poles	2
Rotation	Counterclockwise Pump End	Mounting	Round
Motor Orientation	Horizontal	Drive End Bearing	BALL
Opp Drive End Bearing	BALL	Frame Material	Rolled Steel
Shaft Type	Threaded	Overall Length	13.40 in
Frame Length	9.00 in	Shaft Diameter	0.625 in
Shaft Extension	0.91 in		
Outline Drawing	B2841V1-S01	Connection Diagram	17536729.PCX

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created: 09/19/2019

