

Tidal Wave Slide Specifications

Product Numbers and Shipping Weights:

Model Number	Description	Shipping Weights
GPPSTW-GREY-R	Tidal Wave – Grey Granite Right	375 lbs (170.1 kg)
GPPSTW-SAND-R	Tidal Wave – Sandstone Granite Right	375 lbs (170.1 kg)
GPPSTW-GREY-L	Tidal Wave – Grey Granite Left	375 lbs (170.1 kg)
GPPSTW-SAND-L	Tidal Wave – Sandstone Granite Left	375 lbs (170.1 kg)
GPPSTW-GREY-R-LED	Tidal Wave – Grey Granite Right w/ Light Pkg	385 lbs (174.6 kg)
GPPSTW-SAND-R-LED	Tidal Wave – Sandstone Granite Right w/ Light Pkg	385 lbs (174.6 kg)
GPPSTW-GREY-L-LED	Tidal Wave – Grey Granite Left w/ Light Pkg	385 lbs (174.6 kg)
GPPSTW-SAND-L-LED	Tidal Wave – Sandstone Granite Left w/ Light Pkg	385 lbs (174.6 kg)

Broad Description:

The Tidal Wave Slide is a sturdy, durable roto-molded slide with enclosed plumbing for a clean finished look. The Tidal Wave is available in Sandstone or Grey Granite finishes and has the option of an LED lighting package.

Utilization:

The Tidal Wave is intended for in-ground residential swimming pools only. Our multi point anchoring system allows the Tidal Wave to accommodate most geographical regions. The slide is rated for a maximum of 275 lb. (124 kg) for its riders.


Specifications:

- § The ladder is enclosed with nine (9) coping style steps for a safe and easy climbing.
- § The two (2) handrails are roto-molded into the ladder with two (2) optional widths for a comfortable climb for most riders.
- § The slide runway has a twenty-two (22) inch wide seating area made of a thick, durable roto-molded plastic.
- § The water delivery system is enclosed within the roto-molded ladder for a clean look. Water is delivered with a 1" PVC hose to allow maximum water coverage on the flume at 25 gpm.
- § The Tidal Wave is anchored to the pool deck with ½" diameter stainless anchor studs with attaching hardware.

The information contained in this document is proprietary and confidential to Global Pool Products and not to be reproduced without written consent from Global Pool Products



Tidal Wave Slide Specifications




Height: 7' 8"
 Flume Length: 10' 11"
 Flume Width: 22"
 Required Deck Space: 11' 9" x 5' 5"

The information contained in this document is proprietary and confidential to Global Pool Products and not to be reproduced without written consent from Global Pool Products



Tidal Wave Water Safety Envelope



The information contained in this document is proprietary and confidential to Global Pool Products and not to be reproduced without written consent from Global Pool Products

