




AUTOMATION

Updated September 2025



AUTOMATION DONE RIGHT.

IntelliCenter® Pool Control System is the most versatile Pentair automation system, delivering better-than-ever technology you can count on. Easily expandable, this system is now powered by AWS® technology to help improve connectivity. This automation system is here to make your job easier than ever.



INTUITIVE TOUCHSCREEN FOR EASIER INSTALLATION AND SETUP

Spend less time in the backyard thanks to quicker, easier, step-by-step instructions and Over-the-Air (OTA) updates.



MORE CONSISTENT CONNECTIONS

Say goodbye to late-night service calls with a system powered by AWS technology for increased reliability and stability.




PROACTIVE REMOTE MONITORING

Offer upgraded service with a birds-eye view of all your customers' systems and sort your dashboard to better service your customers.



DEDICATED SUPPORT

Access our expert automation specialists when you need assistance.



IntelliCenter Lite System

Lighter where it counts.

- Offers up to five relays, i5P or i5PS bundle options
- Can work with existing breaker panel
- Smaller enclosure, designed with electricians in mind
- Wi-Fi antenna included



IntelliCenter Upgrade Kit for EasyTouch®/IntelliTouch®

Bringing the latest automation technology to current systems.

- Smart upgrade for older pool automation systems
- Brings EasyTouch or IntelliTouch Control System up to date with modern features of the IntelliCenter Control System
- Expandable to accommodate new equipment add-ons and product upgrades

INTELLICENTER®

CONTROL SYSTEM FOR POOLS AND SPAS

TRADEGRADE

Featured Highlights

- Easy to program, with the Setup Wizard for step-by-step, on screen instructions
- Color touchscreen interface displays intuitive instructions in clear text and rich colors
- Convenient control from inside and outside the home via outdoor and indoor control panels and remotes
- Remote control and monitoring from anywhere, anytime with the Pentair Pool app and Pentair Pro app



The IntelliCenter Pool Control System is the most versatile Pentair automation system, delivering better-than-ever technology you can count on. Easily expandable, this system is now powered by AWS® cloud technology for improved stability, connectivity, scheduling and reliable, centralized control for multiple pool devices, from water features to lights to pumps. This system makes pool life as easy as it should be.

CALIFORNIA PROPOSITION 65 WARNING
 ⚠️ **WARNING:** Cancer and Reproductive Harm.
 ⚠️ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
 ⚠️ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov

Ordering Information

Product	Country	Description	Includes IntelliChlor® Cell	Includes SCG Transformer	Includes Two (2) IntelliValves
BUNDLED SYSTEMS (COMMON LOAD AND PERSONALITY KIT)					
523448	USA	IntelliCenter System (Load Center with i5P Personality Kit)	No	No	No
523962	USA	IntelliCenter System (Load Center with i5P Personality Kit)	Yes, ICPLUS40	Yes	No
523964	USA	IntelliCenter System (Load Center with i5PS Personality Kit)	Yes, ICPLUS40	Yes	Yes
521907	USA	IntelliCenter System (Load Center with i5PS Personality Kit)	No	No	Yes
523961	USA	IntelliCenter System (Load Center with i8PS Personality Kit)	Yes, ICPLUS40	Yes	Yes
521904	USA	IntelliCenter System (Load Center with i8PS Personality Kit)	No	No	Yes
523965	USA	IntelliCenter System (Load Center with i10PS Personality Kit)	Yes, ICPLUS40	Yes	Yes
523969	USA	IntelliCenter System (Load Center with i10D Personality Kit)	Yes, ICPLUS40	Yes	No
523915	USA	IntelliCenter System (Load Center with i10D Personality Kit)	No	No	No
523125	Canada	IntelliCenter System (Load Center with i5P-C/Personality Kit)	No	Yes	No
523126	Canada	IntelliCenter System with i5PS-C	No	Yes	Yes
523127	Canada	IntelliCenter System with i8PS-C	No	Yes	Yes
523909	Canada	IntelliCenter System with i10D-C	No	No	No

Note: Each system includes an outdoor wireless antenna. Pool/spa systems above include two IntelliValve® Valve Actuators.

INTELLICENTER UPGRADE KITS FOR EASYTOUCH AND INTELLITOUCH CONTROL SYSTEMS					
522045	IntelliTouch/EasyTouch to Next Gen Upgrade Kit - i10P, for LC/PC	Systems manufactured prior to 2012 (2003 to 2012)			
522046	IntelliTouch/EasyTouch to Next Gen Upgrade Kit - i10PS, for LC/PC	Systems manufactured prior to 2012 (2003 to 2012)			
523218	IntelliTouch to Next Gen Upgrade Kit - i10D, for LC/PC (was 523048)	Systems manufactured prior to 2012 (2003 to 2012)			
523530	IntelliTouch/EasyTouch to Next Gen Expansion Upgrade Kit LC/PC	Systems manufactured prior to 2012 (2003 to 2012)			
522047	IntelliTouch/EasyTouch to Next Gen Upgrade Kit - i10P, for CLC/CPC	Systems manufactured after 2012			
522048	IntelliTouch/EasyTouch to Next Gen Upgrade Kit - i10PS for CLC/CPC	Systems manufactured after 2012			
523049	IntelliTouch to Next Gen Upgrade Kit - i10D, for CLC/CPC	Systems manufactured after 2012			
523529	IntelliTouch/EasyTouch to Next Gen Expansion Upgrade Kit CLC/CPC	Systems manufactured after 2012			

SEE PAGE 321 FOR REPLACEMENT PARTS

INTELLICENTER® LITE SYSTEM



INTELLICENTER LITE
SYSTEM

Featured Highlights

- Supports and includes five relays
- Pool and Pool/Spa bundle options available
- Wi-Fi antenna included
- Get the functionality of the flagship IntelliCenter Pool Control System including remote monitoring and color touchscreen
- Optional 900 MHz High Powered Wireless for increased range and more reliable connection where Wi-Fi may be limited, sold separately

The IntelliCenter Lite system features a compact, breakerless Power Center for installations where a breaker panel is already in place. This system includes a free Wi-Fi antenna for easy connection to the homeowners router, enabling everything the IntelliCenter system has to offer including easy control via the Pentair Home app, and remote monitoring and control for pros via the Pentair Pro app.

Ordering Information

Product	Description	Application	Includes Two (2) Compool® Valve Actuators
BUNDLED SYSTEMS (COMMON LOAD AND PERSONALITY KIT)			
523910	IntelliCenter Lite System i5PS (Power Center with i5PS personality kit and two standard valve actuators) Wi-Fi antenna included	5 Relay Pool & Spa Breaker Panel Not Included	Yes
523911	IntelliCenter Lite System i5P (Power Center with i5P personality kit) Wi-Fi antenna included	5 Relay Pool Only Breaker Panel Not Included	No

Product	Description
OTHER WIRELESS CONNECTION OPTIONS	

523557	900 MHz Wireless Ethernet Link Kit Includes PoE module and Ethernet cables
--------	--

CALIFORNIA PROPOSITION 65 WARNING
 ⚠️ **WARNING:** Cancer and Reproductive Harm.
 ⚠️ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
 ⚠️ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov PR322174

SEE PAGE 321 FOR REPLACEMENT PARTS

INTELLICENTER®

CONTROL SYSTEM FOR POOLS AND SPAS SYSTEMS

A LA CARTE ORDERING STEP 1: PICK YOUR LOAD AND POWER CENTER

Ordering Information

Product	Description	IntelliChlor Transformer
LOAD AND POWER CENTERS		
522041	Load Center (with Salt Chlorine Generator support)	Included
522043	Load Center (without Salt Chlorine Generator support)	Not Included

STEP 2: PICK YOUR PERSONALITY KIT

Product	Description	Body of Water Style	Motherboard	Daughter Card	No. of Additional Relays**
INTELLICENTER PERSONALITY KITS					
521909	IntelliCenter Personality Kit i5P	Single	i5P	N/A	0
521912	IntelliCenter Personality Kit i5PS	Shared Equipment	i5P	i5PS	0
521910	IntelliCenter Personality Kit i8P	Single	i5P	i8P	3
521913	IntelliCenter Personality Kit i8PS	Shared Equipment	i5P	i8PS	3
521911	IntelliCenter Personality Kit i10P	Single	i5P	i10P	5
521914	IntelliCenter Personality Kit i10PS	Shared Equipment	i5P	i10PS	5
521915	IntelliCenter Personality Kit i10D	Dual Equipment	i5P	i10D	5
522033*	IntelliCenter i5X Expansion Kit	—	i5X	N/A	0
522034*	IntelliCenter i10X Expansion Kit	—	i5X	i10x	5

*Expansion kits use an i5X motherboard. i5P motherboards cannot be used in expansion panels.

** Load center comes with five (5) 3 HP relays.

STEP 3: PICK YOUR ACCESSORIES

Product	Description	Notes
LOAD AND POWER CENTERS / SPACOMMAND REMOTES		
522035	IntelliCenter Indoor Control Panel, White Faceplate	
523059	IntelliCenter Indoor Control Panel, Black Faceplate	
522036	IntelliCenter Wireless Remote with Transceiver	
522038Z	IntelliCenter Valve Expansion Module	Adds six actuator ports to system (on main load center).
522039Z	Pool Cover Interface Expansion Board	Supports two covers.
523557	900 MHZ High Power Wireless Ethernet Link Kit	Use for IntelliCenter, IntelliCenter Lite, IntelliCenter Upgrade Kit.
544425	Cable POE/Ethernet High Power Wireless Bundle	900 MHz Wireless Cables
521177	SpaCommand Remote, Black with 250 ft. cable	
521178	SpaCommand Remote, White with 150 ft. cable	
521179	SpaCommand Remote, White with 250 ft. cable	
521180	Mudbox Accessory for recessing SpaCommand Remote into deck or tile. Includes cover plate and bezel.	

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
 ⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
 ⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov

SEE PAGE 321 FOR REPLACEMENT PARTS

INTELLICENTER®

UPGRADE KIT FOR EASYTOUCH®/INTELLITOUCH® SYSTEMS



IntelliCenter Upgrade Kit for EasyTouch®/IntelliTouch® Systems

Featured Highlights

- All the benefits of the IntelliCenter system and the latest Pentair app experience
- Get the most advanced features of the IntelliCenter system
- Enjoy a joyful, effortless app experience

Replace older EasyTouch and IntelliTouch systems with the IntelliCenter system. Installs on the current wiring and housing, just change the bezel, board, and transformer.

Product	Description	Manufacture Date	Identify Bezel by Cutout	
LEGACY: RECTANGULAR CUTOUT				
522045	i 10 Pool		Legacy: Rectangular Cutout	
522046	i 10 Pool/Spa	2003-2012 (Legacy)		
523218	i 10 Dual		EasyTouch	IntelliTouch
523530	Expansion			
CURRENT: SQUARE CUTOUT				
522047	i 10 Pool		Current: Square Cutout	
522048	i 10 Pool/Spa	2012-2023 (Current)		
523049	i 10 Dual		EasyTouch	IntelliTouch
523529	Expansion			

INCLUDED:

Bezel, Personality Kit and High Power Wireless Kit
High Power Wireless Kit #523557




System Transformer

Current: #522102Z; Legacy: #522062Z (bracket included)



4AMP and 5AMP Circuit Breakers
#523345 (4AMP); #523346 (5AMP)



CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov


INTELLICENTER® CONTROL SYSTEMS ACCESSORIES

POOL/SPA CONTROL SYSTEMS

Product	Description	Product	Description
ACCESSORIES FOR INTELLICENTER SYSTEMS			
521885	Remote IS4 4-Button White 100'	520198	Two-Speed 3HP Relay
521889	Remote IS4 4-Button White 250'	RCS1	Additional Spa Jets Switch (for multiple jet pumps)
521886	Remote IS4 4-Button Grey 100'	521485	IntelliValve® Valve Actuator
521890	Remote IS4 4-Button Grey 250'	263045	Valve Actuator - Compool Compatible
521892	Remote IS4 4-Button Black 100'	520556	IntelliChlor® 20, IntelliChlor 40, IntelliChlor 60 Power Center
521894	Remote IS4 4-Button Black 250'	520588	IntelliChlor® Pass-through Cell for Winter or start-up
521179	SpaCommand® Spa Side Remote White 250'	520595	IntelliChlor® replacement unions (contains 2 O-rings, 2 couplers, 2 nuts)
521500	SpaCommand® Replacement Plastics (black & white trim ring, mounting bracket, screws, and O-ring)	520734	IntelliChlor® 15' extension power cord
521503	SpaCommand Replacement Labels (for white remotes)	520818	COM Port Expansion Module with 1' cable
522051	Wireless Control Panel (WCP) System	ESO3	Emergency Shut-Off Switch w/Audible Alarm
522054	Wireless Control Panel (WCP) Battery Replacement Kit	520967	Light Direct Connect Kit (eliminates need for j-box)
523355	Repeater Wireless Remote IntelliCenter System	AI101	Surge Suppressor for 115V transformer wiring
520272	Air & Water Temperature Sensor (white)	AI201	Surge Suppressor for 230V transformer wiring
522101	Solar Temperature Sensor (black)	520199	1000' COM cable, four conductor, 22 AWG
520106	3HP Relay for IntelliCenter and Legacy Automation Products	523667	IntelliCenter Power Center with i10D Personality Kit for commercial applications



520556 - IntelliChlor Power Center



520818 - COM Port Expansion Module



521885 - IS4 Remote Control



SpaCommand Remote
TRADEGRADE



523738 - IntelliChlor Plus60
523735 - IntelliChlor Plus40
523730 - IntelliChlor Plus30

CALIFORNIA PROPOSITION 65 WARNING

⚠️ **WARNING:** Cancer and Reproductive Harm.
 ⚠️ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
 ⚠️ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov. P1620114

SEE PAGE 321 FOR REPLACEMENT PARTS

INTELLICONNECT®

CONTROL AND MONITORING SYSTEM

TRADEGRADE



IntelliConnect Control and Monitoring System

Featured Highlights


- External antenna offers an average of more than 4.9 times greater reception distance than the original IntelliConnect* system for improved connectivity
- Enables smart connections to any of these Pentair devices: IntelliFlo® or IntelliPro® Pumps, IntelliChlor® or iChlor® Salt Chlorine Generators
- Allows for two relay connections to equipment like pool or landscape lights, pool cleaner booster pumps, or single-speed pumps including competitive models
- Provides real-time information on the status of the filtration system and other pool equipment
- Easily sets up and schedules automatic operation of connected equipment

*Results stated with Ericsson model for city deployment with antenna/unit installed at 1.8m (6ft).


IntelliConnect system allows pool owners to monitor and control various devices, including pumps, lights, salt chlorine generators, and more, all through the Pentair Pool app for easy, convenient control from anywhere. IntelliConnect system provides real-time information on the status of the filtration system and other pool equipment. Pool owners can command the system to work a little harder when extra filtration is needed.

Ordering Information

Product	Description
INTELLICONNECT CONTROL AND MONITORING SYSTEM	
523317	IntelliConnect Control and Monitoring System




Pump Status



Color Wheel

*requires IntelliVibe™ Pool Lighting System



Water Chemistry

*requires IntelliChem® Water Chemistry Controller

CALIFORNIA PROPOSITION 65 WARNING

⚠️ **WARNING:** Cancer and Reproductive Harm.
 ⚠️ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
 ⚠️ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov



SEE PAGE 321 FOR REPLACEMENT PARTS

Pentair Pro App and Pool App

TAKE CONTROL FROM ANYWHERE

Connected Device Functionality for Pro & Pool App


Product	Pro App	Pool App
IntelliFlo3® Variable Speed and Flow Pool Pump IntelliPro3® Variable Speed and Flow Pool Pump	Invite Pool Owner to Pentair Pool App Program & Set Up through Bluetooth® ¹ wireless technology The Pro app can also perform Wi-Fi Provisioning for IntelliFlo3 Service or modify settings with Bluetooth ¹ wireless technology Remote Monitoring	Wi-Fi Provisioning Program, Monitor, & Control Ability to Program, Monitor, & Control via Bluetooth ¹ wireless technology
IntelliConnect® Pool Control System	Remote Monitoring	Wi-Fi Provisioning Program, Monitor, & Control
Color Sync™ Controller for Pentair Color LED Pool Lights	N/A	Wi-Fi Provisioning Program, Monitor, & Control

GLOSSARY

Term	Description
Bluetooth® Wireless Technology	Local connection to device using the Bluetooth option.
Control	Ability to make adjustments, as needed, to update schedules or take immediate action.
Monitor	Check device status.
Program	Configure settings and create schedules.
Remote Monitoring	Visibility to a customer's pool device status. Ability to work with pool owner off-site. Future state will include capability to control remotely.
Set Up	Connect the pool device to the app and create or add to account.
Wi-Fi Provisioning	Connect device to router for wireless internet connection.

¹ Bluetooth can deliver a quick, direct connection to the device. Internet or cellular connection are required to open and use the Pro or Pool app for Bluetooth or Wi-Fi connectivity.

Wi-Fi Connection Best Practices: Continuous Wi-Fi connection to connected devices will support software updates and ongoing feature additions, even if it is connected to an automation system.



PENTAIR
PRO



PENTAIR
POOL



The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Pentair Management Company is under license. App Store® is a registered trademark of Apple, Inc. in the U.S.A. and/or other countries. Google Play® is a registered trademark of Google LLC in the U.S.A. and/or other countries.

Learn more at:
www.pentair.com/connectedpool

INTELLICENTER® POOL CONTROL SYSTEM

REMOTE MONITORING AND CONTROL

FREE YOURSELF FROM POST-INSTALL HASSLES


Ensure a smooth start up and move on to the next job quicker. Monitor systems **more efficiently** and receive alerts on one **user-friendly dashboard**.

Faster issue resolution when things go wrong. Get ahead of issues requiring a warranty claim.

IntelliFlo

Total Pumps : 3

- VS 5 : Speed : 2150 rpm | Power: 450 w | Address: 2 | Circuit: AUX 2
- VSF 5 : Speed : 1800 rpm | Flow: 40 gpm | Power: 400 w | Address: 3 | Circuit: AUX 3
- VSF 6 : Speed : 2500 rpm | Flow: 70 gpm | Power: 600 w | Address: 4 | Circuit: AUX 4



Cust. Name: James
 Email: fake@gmail.com
 Address: 100 Amara Ln
 City: Sedona
 State: AZ
 Zip Code: 86336
 Phone No: (928) 398-3975
 Model: I10PS
 Firmware: 3.003

[Connect to System](#)

Set and Heat Mode

Heat Mode: UltraTemp
 Temperature: 72°F
 SetPoint: 96°F

With this **web-based platform**. No need to install or update software.

◀ **Connect to the system property** to modify configurations, including changes to pump flow rates, schedules, and more.

**START TODAY AT
 PRO.PENTAIRPOOL.COM**

SOLARTOUCH®

SOLAR CONTROL SYSTEM

TRADEGRADE

Featured Highlights

- Digital calibration of water and solar temperature in one degree increments
- Integrates with **IntelliFlo3®** and **IntelliPro3®** **Variable Speed and Flow Pumps**
- Set pool temperatures and solar temperature differentials with the touch of a button
- Solar valve automatically drains the solar collectors when pump shuts off
- Durable PTFE Seal
- LCD display
- LED indicator lights confirm SolarTouch automation is working. Service indicator LED shows when attention is required.
- Motorized valve actuator has steel gears, low-voltage motor: service switch for flow direction
- Weatherproof composite enclosure
- Nocturnal cooling and recirculation freeze protection with filter-pump timer override
- 3-year warranty



SolarTouch System

The SolarTouch Solar Control System offers full digital control for precise, efficient, swimming pool heating. The digital thermostat is set with the touch of a button and will monitor the temperature of the pool water and solar collectors. SolarTouch Control System integrates with IntelliFlo3 and IntelliPro3 VSF pumps.

Ordering Information

PRODUCT	DESCRIPTION
SOLARTOUCH SOLAR CONTROL SYSTEM	
521592	SolarTouch Solar Control System with 3-way solar drain down valve, valve actuator, and 2 temp sensor (20 ft. water, 40 in. solar)
521632	SolarTouch Solar Control System with 3-way Valve, valve actuator and 2 temp sensors (20 ft. water, 40 in. solar)
521590	SolarTouch Solar Control only

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.
 ⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
 ⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov
PN20174A

INTELLIVALVE®

VALVE ACTUATOR

TRADEGRADE

**IntelliValve
Valve Actuator**



The IntelliValve Valve Actuator lets you set just the right flow for water features. Its intuitive controls and LED position indicator lights make operation fast and push-button easy. Thirteen (13) bright LEDs provide a clear visual indication of the valve position from fully open to fully closed and everywhere in between. Simply use the left/right and Save buttons to set the flow rate in just seconds.

Featured Highlights

- Thirteen (13) LEDs give precise, easy-to-read indication of valve position
- Built-in interface allows quick and simple set-up of water flow
- Sleek, minimalist design is compact and fits easily within any equipment pad
- Sealed, maintenance-free design is weatherproofed for reliability
- Suitable for 1.5", 2", 2.5" and 3" valve sizes.
- 24-volt operation for use with standard automation systems, 750 mA max amp draw
- Adjustable 3.75-degree increments within the maximum 180-degree swing

Ordering Information

Product	Description
INTELLIVALVE VALVE ACTUATOR	
521485	For any Pentair Automation System Compatible with control systems that use standard actuators

CALIFORNIA PROPOSITION 65 WARNING
 ⚠️ **WARNING:** Cancer and Reproductive Harm.
 ⚠️ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
 ⚠️ **ADVERTENCIA:** Cáncer y Daño Reproductivo.
www.p65warnings.ca.gov PN20274A

VALVE ACTUATOR

VALVE CONTROL SYSTEMS

TRADEGRADE

Featured Highlights

CVA24 Valve Actuator

- Helps Prevent dead-heading of pumps
- Corrosion-proof enclosure
- Service switch (for flow direction)
- ETL recognized
- UL listed for use with IntelliTouch® Automation
- Operates Compool®, Ortega®, or Jandy® Valves
- Compatible with all 24VAC Control Systems



Valve Actuator

Designed for use with 2-port and 3-port valves. Features maximum torque, 24VAC bi-directional motor.

CALIFORNIA PROPOSITION 65 WARNING

⚠️ **WARNING:** Cancer and Reproductive Harm.
 ⚠️ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
 ⚠️ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov P18-201714

Ordering Information

Product	Model	Voltage	Cable	Rotation	Compatibility	Motor
VALVE ACTUATOR						
263045	CVA24T	24 VAC	3-wire	180 deg.	3-port Compool/Ortega/Jandy Valves	Bi-directional

Jandy® is a registered trademark of Jandy Industries, Inc.

GFCI CIRCUIT BREAKERS

Featured Highlights

- Personnel Protection GFCI
- Meets 2008 to current NEC Standards for Pool Pumps
- Compatible with IntelliTouch® and EasyTouch® Control Systems
- Designed to protect personnel exposed to ground faults in AC, DC, and mixed AC/DC systems where levels exceed 6 milliamps



GFCI Circuit Breakers

Ordering Information

CALIFORNIA PROPOSITION 65 WARNING

⚠️ **WARNING:** Cancer and Reproductive Harm.
 ⚠️ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.
 ⚠️ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov P18-201714

Product	Description	Carton Qty.	Carton Wt (Lbs.)
GFCI CIRCUIT BREAKERS			
P215GFA	2-pole 15 amp GFCI	10	11.50
P220GFA	2-pole 20 amp GFCI	10	11.50

SEE PAGE 321 FOR REPLACEMENT PARTS

